1977 ANNUAL INDEXES

Textile Research Journal
Volume 47

AUTHOR AND TITLE INDEX, pp. 812–816

SUBJECT INDEX, pp. 817–821

MONTH	PAGES	MONTH	PAGES
January	1–76	July	451–512
February	77–154	August	513–574
March	155–232	September	575–636
April	233–310	October	637–698
May	311–388	November	699–760
June	389–450	December	761–822

AUTHOR AND TITLE INDEX

Abbott, G. M. The Corona Treatment of Cotton. Part I: Sliver Cohesion . . . 141
Part II: Yarn and Fabric Properties (*Robinson*) . . . 199

Abubakkar, Md. Effects of Anti-Oxidants on Size Distribution of Polycaprolactam During Melting and Melt-Spinning (*Bhattacharya, Mukherjee*) . . . 132

Adeimy, J. A. The Response of Textured Yarn Properties to Process Variables in Relation to Barré. Part I: Experimental Design and Dyeing Responses for Conventional False-Twist Pin-Textured Polyester Yarns (*McGregor*) . . . 477
Part II: Effects of Feed-Yarn Orientation and Correlations Between Yarn Responses (*McGregor*) . . . 516
Part III: Thermomechanical Measurements on Conventional False-Twist Pin-Textured Polyester Yarns (*McGregor, Grady, Montgomery*) . . . 598

Andrews, F. R. Length-Change Phenomena Accompanying Liquid Ammonia and Caustic Mercerization (*Hassenboehler, Nelson, Markezich*) . . . 670

Arons, Gilbert N. Sorptive Composite Fabrics Containing Activated-Carbon Yarns (*Macnair, Coffin*) . . . 324

Asquith, R. S. Anomalous Results of Diffusion Coefficients in Acrylic Dyeing Systems (*Blair, Spence*) . . . 446

Aziz, Emanuel, S. A Probability Model for Tuft Breakages (Kambo) . . . 302

Backer, Stanley Mechanics of Texturing Thermoplastic Yarns. Part V: Steady-State Mechanics of Draw Texturing (*Brookstein*) . . . 256

Bangert, Louis H. On Fiber Alignment Using Fluid-Dynamic Forces (*Sagdeo*) . . . 773

Barella, A. Belts in Open-End Yarns; Influence of Rotor Diameter and Statistical Distribution (*Tura, Vigo*) . . . 389

Barker, Roger L. Instrumented Analysis of the Influence of Non-Lint Trash and Lint Color on the Grading of Cotton (*Lyons*) 289

Bateup, B. O. Surface-Chemical Aspects of Polymer Spreading and Adhesion to Wool Fibers (*Cook, Feldtman, Fleischfresser*) . . 97

Batra, H. S. Effect of Residual Oil and Soap on the Functional Properties of Indian Wool Carpets (*Dhillon*) . . . 227

Benerito, R. R. The Effect of Argon Cold Plasma on Water Absorption of Cotton (*Jung, Ward*) . . . 217

Bergh, Kerstin M. Investigation of Degree of Set and Deset for PET and Nylon 66 Yarns. Part I: Method of Measurement (*Shishoo*) . . . 56

Berni, Ralph J. Collection of Large Quantities of Respirable Cotton Dust for Byssinosis Research (*Brown*) . . . 152
An X-Ray Diffraction Method for the Analysis of Cotton/Polyester Blends (*Mitcham, Tripp*) . . . 386
Physical and Structural Properties of Pad-Dry-Cure, Core-, and Skin-Crosslinked Fabrics (*Venkatesh, McSherry, Markezich*) . 584

Bertoniere, Noelie R. Effectiveness of Prepolymers from Tris-(1,3-Dichloro-2-Propyl) Phosphate and Polyethylenimine as Flame Retardants for Cotton-Containing Fabrics (*Rowland*) . 82

Betrabet, S. M. Application of an N-Methylol Crosslinking Agent to Cotton from an Emulsion System (*Daruwalla, Doshi*) . . 328

Bhattacharya, T. K. Effects of Anti-Oxidants on Size Distribution of Polycaprolactam During Melting and Melt-Spinning (*Abubakkar, Mukherjee*) . . . 132

Bhattacharyya, S. N. Measurement of Fiber Length of Jute Slivers. Part I: A Study of the Methods of Measurement (*Mukhopadhyay*) . . . 24

Blair, H. S. Anomalous Results of Diffusion Coefficients in Acrylic Dyeing Systems (*Asquith, Spence*) . . . 446

Blouin, Florine A. Copolymerization of Addition and Condensation Type Monomers for Flame Retardancy of Cotton and Blend Fabrics (*Rowland*) . . . 789

Bouquet, Norbert A., Jr. Selection of Optimum Fiber Properties for Cotton Knits (*Ruppenicker, Kingsbery*) . . . 239

Bragg, Charles K. Effects of Oil Contamination on Cotton Quality: Methods of Analysis and Characterization of Contaminants (*Perkins*) . . . 271

Brančík, Jindřich V. The Measurement of Swelling of Wool Fibers in Solvents by Laser-Beam Diffraction (*Datyner*) . . 662

Broderick, T. Selection of Process Conditions for Poly(Ethylene Terephthalate) Textile Yarn (*Broughton*) . . . 666

Brookstein, David Mechanics of Texturing Thermoplastic Yarns. Part V: Steady-State Mechanics of Draw Texturing (*Backer*) 256

Broome, Esther R. The Effects of Laundering on the Performance of Open-End and Ring-Spun Yarns in Jersey Knit Fabrics (*McKinney*) . . . 155

Broughton, R. Selection of Process Conditions for Poly(Ethylene Terephthalate) Textile Yarn (*Broderick*) . . . 666

Brown, David F. Collection of Large Quantities of Respirable Cotton Dust for Byssinosis Research (*Berni*) . . . 152

Brown, J. R. Thermal Analysis of Nomex® and Kevlar® Fibers (*Ennis*) . . . 62

Bruno, Joseph S. Modifying the Electrical Resistivity of Durable-Press Fabric (*Harper, Gautreaux*) . . . 340

Buchanan, D. R. Glass-Transition Temperatures of Polyamide Textile Fibers. Part I: The Effects of Molecular Structure, Water, Fiber Structure, and Experimental Technique (*Walters*) . . . 398
Part II: Relationships Between T_g and Dyeability (*Walters*) . 451
Thermal Stress Analysis of Textile Yarns (*Hardegree*) . . . 732

Bühler, A. An Application of the Amidomethylation (Tscherniak-Einhorn) Reaction in Dye Synthesis (*Guise*) . . . 496

Butler, R. H. Influence of Fiber Properties on Wrinkling Behavior of Fabric. Part VII: Effects of Morphology on Fiber Properties (*Prevorsek, Kwon, Lamb, Sharma*) . . . 107

Carlsson, D. J. The Photo-Oxidation of Polypropylene Monofilaments. Part III: Effects of Filament Morphology (*Garton, Sturgeon, Wiles*) . . . 423
Fiber Identification at the Microgram Level by Infrared Spectroscopy (*Suprunchuk, Wiles*) . . . 456
Carra, Jarrell H. Structural Aspects of the Walls of Cateye Cotton (*de Gruy*) . . . 91
Carroll, B. J. The Determination of the Contact Angle of a Liquid Droplet on a Thin Fiber . . . 561
Cashen, Norton A. A Modified THPOH-Ammonia Treatment of Cotton to Impart Flame Retardancy and Antibacterial Properties . . . 740
Chance, Leon H. A New Durable Nonphosphorus Flame Retardant for Cotton Based on Tetramethylol 2,4-Diamino-6-(3,3,3-Tribromo-1-Propyl)-1,3,5-Triazine (*Timpa*) . . . 418
Chao, Nelson P. C. Thickness of Thin-Layer Liquid Film on a Rotating Roll and its Measurement by the X-Ray Backscattering Technique . . . 311
Chatterjee, S. M. The Effect of Benzoylation on the Fine Structure of Jute (*Ray*) . . . 729
Chiasson, Constance M. Photodegradation of Flame-, Water-, Weather-, and Mildew-Resistant Cotton Tentage Fabrics (*Reagan*) . . . 637
Cirino, V. O. Exploration of Zinc Salts of Acrylic-Type Polymers as Hydrophilic Finishes for Durable-Press Cotton Fabrics (*Rowland, Wade*) . . . 692
Cocke, J. B. Card-Room Dust Levels and Response of Humans to Raw Cotton Cleaned by the Shirley Analyzer (*Griffin, Hatcher*) . . . 129
Coffin, Laurance G. Sorptive Composite Fabrics Containing Activated-Carbon Yarns (*Macnair, Arons*) . . . 324
Cook, C. C. The Effects of Some Aromatic Hydroxy Compounds on the Adsorption of Anionic Dyes of Nylon 6 (*Hajisharifi*) . . . 244
Cook, J. R. Surface-Chemical Aspects of Polymer Spreading and Adhesion to Wool Fibers (*Bateup, Feldtman, Fleischfresser*) . . . 97
Costanza, P. A. Electrical Stimulation of Fabric Filtration (*Lamb*) . . . 372
Courtney, B. Polycations and Their Complexes. Part I: The Influence of Simple Anions on the Binding of Anionic Dyes to Cellulosic Polycations (*Lawton*) . . . 530

D'Arcy, R. L. Torsional Rigidity of Fibers . . . 565
Daruwalla, E. H. Application of an N-Methylol Crosslinking Agent to Cotton from an Emulsion System (*Betrabet, Doshi*) . . . 328
Use of Sulphamic Acid or its Ammonium Salt as Catalyst in Wrinkle-Resistant Finishing of Cotton Textiles (*Doshi*) . . . 712
Das, B. K. The Effect of Strong Alkali Treatment on the Cell-Wall Structure of Ramie Fiber (*Ray*) . . . 437
Datyner, Arved The Measurement of Swelling of Wool Fibers in Solvents by Laser-Beam Diffraction (*Brančík*) . . . 662
Deakyne, Clifford K. The Effect of Quench Rate During Thermal Bonding of Heterohesive Web Systems (*Rebenfeld, Whitwell*) . . . 491
de Gruy, Ines V. Structural Aspects of the Walls of Cateye Cotton (*Carra*) . . . 91
Denson, C. L. Pyrolysis Products from Cellulose Treated with Flame Retardants. Part I: Halogen-Containing Flame Retardants (*Garn*) . . . 485
Part II: Nitrogen-Containing Flame Retardants (*Garn*) . . . 535
Part III: Ancillary Studies (*Garn*) . . . 591
Dent, R. W. A Multilayer Theory for Gas Sorption. Part I: Sorption of a Single Gas . . . 145
Part II: Sorption of Gas Mixtures . . . 188
Deopura, B. L. Dependence of Mechanical Properties on Crystalline, Intermediate, and Amorphous Phases in Poly(Ethylene Terephthalate) Fibers (*Sinha, Varma*) . . . 267
Dhillon, R. S. Effect of Residual Oil and Soap on the Functional Properties of Indian Wool Carpets (*Batra*) . . . 227
Dhingra, R. C. Air Permeability of Woven, Double-Knitted, and Warp-Knitted Outerwear Fabrics (*Postle*) . . . 630
Dixon, D. D. A Technique for Imparting Soil-Release, Soil-Antiredeposition, and Moisture-Transport Properties to Polyester (*Hayes*) . . . 277
Dobb, Mike Properties and Structures of Polyethylene Terephthalate Yarns in Conventional and Simultaneous Draw-Texturing (*Tucker, Johnson, Sikorski*) . . . 29
Doğu, İsmail The Fundamentals of Electrostatic Spinning. Part III: The Behavior of Textile Fibers and Randomization of their Positions Relative to Each Other in the Electrostatic Field Zone of an Electrostatic Spinning Machine . . . 780
Doshi, S. M. Application of an N-Methylol Crosslinking Agent to Cotton from an Emulsion System (*Betrabet, Daruwalla*) . . . 328
Use of Sulphamic Acid or its Ammonium Salt as Catalyst in Wrinkle-Resistant Finishing of Cotton Textiles (*Daruwalla*) 712

Elias, Dorothy K. Incremental Frictional Abrasion. Part I: Effects on Fiber Characteristics (*Warfield, Galbraith*) . . . 294
Part II: Effects on Yarn and Fabric Characteristics (*Warfield, Galbraith*) . . . 332
El-Shiekh, Aly The Effect of Cotton Mercerization on Cotton/Polyester Blends (*Gupta, H-Kish*) . . . 428
El-Thalouth, I. Abd. Oxidation of Carboxymethyl Starch with Sodium Hypochlorite (*Hanna, Hebeish*) . . . 209
Ennis, B. C. Thermal Analysis of Nomex® and Kevlar® Fibers (*Brown*) . . . 62

Familant, Harold M. Dependence of Latent Crimp on Wind-Up Tension in the False-Twist Texturing Process . . . 448
Faucher, J. A. Sorption and Desorption of a Cationic Polymer by Human Hair: Effects of Salt Solutions (*Goddard, Hannan*) . . . 616
Feldtman, H. D. Surface-Chemical Aspects of Polymer Spreading and Adhesion to Wool Fibers (*Bateup, Cook, Fleischfresser*) . . . 97
Fleischfresser, B. E. Surface-Chemical Aspects of Polymer Spreading and Adhesion to Wool Fibers (*Bateup, Cook, Feldtman*) . . . 97
Fornes, Raymond E. Characterizing Airborne Microorganisms in a Cotton Card Room Using an Andersen Air Sampler (*Welty, Gilbert*) . . . 38
Frank, Arlen W. The Iodometric Determination of P(III) in Flame Retardants for Cotton. Part IV: Reaction of Thpc with Iodate . . . 60
Franklin, W. E. Postactivation Catalysts for Recurability of DMDHEU-Glycolic Acid Durable-Press Fabrics (*Wade, Rowland*) . . . 317
Recurability and Textile Properties of Postactivated Cotton and Blend Fabrics (*Wade, Rowland*) . . . 440
Frederick, E. R. Review of Fabric Filtration and Air-Pollution Control Application . . . 575
Friedman, Mendel Combined Application of Reactive Compounds in Nonaqueous Swelling Solvents for Flame- and Shrink-Resistant Wool (*Koenig*) . . . 139

Galbraith, Ruth L. Incremental Frictional Abrasion. Part I: Effects on Fiber Characteristics (*Elias, Warfield*) . . . 294
Part II: Effects on Yarn and Fabric Characteristics (*Warfield, Elias*) . . . 332
Ganesh, K. A Study of Lea-Strength Variation of Ring-Spun Cotton Yarns (*Gupta, Subramanian*) . . . 464
Garn, P. D. Pyrolysis Products from Cellulose Treated with Flame Retardants. Part I: Halogen-Containing Flame Retardants (*Denson*) . . . 485
Part II: Nitrogen-Containing Flame Retardants (*Denson*) . . . 535
Part III: Ancillary Studies (*Denson*) . . . 591
Garton, A. The Photo-Oxidation of Polypropylene Monofilaments. Part III: Effects of Filament Morphology (*Carlsson, Sturgeon, Wiles*) . . . 423
Gautreaux, Gloria A. Modifying the Electrical Resistivity of Durable-Press Fabric (*Harper, Bruno*) . . . 340
Gentry, David R. The Dimensional Stability of Carpets in Installations. Part I: Stability to Mechanical Actions . . . 459
Gilbert, Richard D. Characterizing Airborne Microorganisms in a Cotton Card Room Using an Andersen Air Sampler (*Welty, Fornes*) . . . 38
Giles, Charles H. Measurement of the Particle Size of a High-Lightfastness Direct Dye in Cellulose by *p*-Nitrophenol Adsorption (*Haslam*) . . . 347
Goddard, E. D. Sorption and Desorption of a Cationic Polymer by Human Hair: Effects of Salt Solutions (*Faucher, Hannan*) 616
Goldfinger, George Changes in Internal Scattering Are Sufficient to Explain Color Changes Due to Mercerization . . . 633
Goldthwait, Charles F. Darker Dyeing of Mercerized Cotton by a Given Amount of Dye . . . 632
Gordon, P. G. Investigations into the Mechanisms of Flame Retardation on Wool (*McMahon, Stephens*) . . . 699
Gorondy, Emery J. Analysis of the Dye Transfer Mechanism in Heat Transfer Printing . . . 604
Grady, P. L. The Response of Textured Yarn Properties to Process Variables in Relation to Barré. Part III: Thermomechanical Measurements on Conventional False-Twist Pin-Textured Polyester Yarns (*McGregor, Montgomery, Adeimy*) 598
Graham, C. O. Processing Cotton with Chemically-Altered Fiber Friction (*Rhodes, Harper*) . . . 102
Griffin, A. C., Jr. Card-Room Dust Levels and Response of Humans to Raw Cotton Cleaned by the Shirley Analyzer (*Hatcher, Cocke*) . . . 129
Guise, G. Bruce Polybutadiene Shrink-Resist and Durable-Press Finishes for Wool . . . 163
An Application of the Amidomethylation (Tscherniac-Einhorn) Reaction in Dye Synthesis (*Bühler*) . . . 496
Gupta, A. K. A Study of Lea-Strength Variation of Ring-Spun Cotton Yarns (*Ganesh, Subramanian*) . . . 464

Gupta, D. K. The Effect of Cotton Mercerization on Cotton/Polyester Blends (*H-Kish, El-Shiekh*) 428
Gupta, V. B. The Role of Winding Tension in Rendering Crimp Latent in False-Twist-Textured Yarn 634
Guthrie, John D. Aminization of Cotton Fabric by Slow Dry-Curing (*Margavio*) 52

Hagege, R. Ageing Behavior of Pre-Oriented PET Yarns, Followed by DSC 229
Hajisharifi, M. The Effects of Some Aromatic Hydroxy Compounds on the Adsorption of Anionic Dyes by Nylon 6 (*Cook*) 244
Hanna, H. L. Oxidation of Carboxymethyl Starch with Sodium Hypochlorite (*El-Thalouth, Hebeish*) 209
Hannan, R. B. Sorption and Desorption of a Cationic Polymer by Human Hair; Effects of Salt Solutions (*Faucher, Goddard*) . 616
Hardegree, G. L. Thermal Stress Analysis of Textile Yarns (*Buchanan*) 732
Harper, R. J., Jr. Processing Cotton with Chemically-Altered Fiber Friction (*Graham, Rhodes*) 102
Modifying the Electrical Resistivity of Durable-Press Fabric (*Bruno, Gautreaux*) 340
Haslam, Ronald Measurement of the Particle Size of a High-Lightfastness Direct Dye in Cellulose by *p*-Nitrophenol Adsorption (*Giles*) 347
Hassenboehler, C. B. Length-Change Phenomena Accompanying Liquid-Ammonia and Caustic Mercerization (*Andrews, Nelson, Markezich*) 670
Hatcher, J. D. Card-Room Dust Levels and Response of Humans to Raw Cotton Cleaned by the Shirley Analyzer (*Griffin, Cocke*) 129
Hayes, L. J. A Technique for Imparting Soil-Release, Soil-Antiredeposition, and Moisture-Transport Properties to Polyester (*Dixon*) 277
Hebeish, A. Oxidation of Carboxymethyl Starch with Sodium Hypochlorite (*El-Thalouth, Hanna*) 209
Hepworth, A. The Determination of Fabric Loop Length (*Little*) 795
H-Kish, M. The Effect of Cotton Mercerization on Cotton/Polyester Blends (*Gupta, El-Shiekh*) 428
Hobart, Stanley R. Interaction of Flame-Retardant and Untreated Cotton Fabrics During Burning (*Mack*) 351
Flame-Retardancy Transfer from FR Cotton Fabric to Cotton/Polyester Blends (*Mack, Rowland*) 394
Holt, L. A. The Formation of Carbonyl Groups During Irradiation of Wool and its Relevance to Photoyellowing (*Milligan*) . . 620
Huang, N. C. On the Flexure of Elastic Two-Filament Yarns . . 73

Johnson, David Properties and Structures of Polyethylene Terephthalate Yarns in Conventional and Simultaneous Draw-Texturing (*Tucker, Dobb, Sikorski*) 29
Jung, H. Z. The Effect of Argon Cold Plasma on Water Absorption of Cotton (*Ward, Benerito*) 217
Water Absorption of Toweling as Affected by Argon Cold Plasma (*Ward*) 563

Kambo, N. S. A Probability Model for Tuft Breakages (*Aziz*) . 302
A Probability Model for Tuft Breakages—Estimation and Application (*Salhotra, Singh*) 545
Kim, K. Y. Distribution of Linear Alkylbenzene Sulfonate Between Fabric and Liquor in Simulated Detergent Liquors (*Rapko*) 410
Kingsbery, Emery C. Selection of Optimum Fiber Properties for Cotton Knits (*Ruppenicker, Bouquet*) 239
Kirkwood, Barbara Hodam Microscopical Observations of the Abrasive and Ultraviolet Deterioration of Nomex® Aramid Fiber 171
Koenig, N. H. Combined Application of Reactive Compounds in Nonaqueous Swelling Solvents for Flame- and Shrink-Resistant Wool (*Friedman*) 139
Komori, Takashi Numbers of Fiber-to-Fiber Contacts in General Fiber Assemblies (*Makishima*) 13
Kullman, Russell M. H. Sulphonic Acids and Sulfonate Salts as Catalysts in Durable-Press Finishing (*Reinhardt*) 181
Kumar, Satish A Model for Nonlinear Creep of Textile Fibers (*Gupta*) 647
Kwon, Y. D. Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VII: Effects of Morphology on Fiber Properties (*Prevorsek, Butler, Lamb, Sharma*) 107

Lamb, G. E. R. An Examination of Flaw-Dependent Theories of Fiber Strength (*Weigmann*) 66
Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VII: Effects of Morphology on Fiber Properties (*Prevorsek, Butler, Kwon, Sharma*) 107
Electric Stimulation of Fabric Filtration (*Costanza*) 372

Lawson, Reba Dependence of Changes in Tenacity with Mercerization on Strength Uniformity and Maturity of Cotton Samples (*Ramey*) 249
Relationship of Cotton Fiber Properties to Yarn Tenacity (*Ramey, Worley*) 685
Relation of Cotton Fiber Properties to Sliver Cohesion (*Worley, Ramey*) 755
Lawton, J. B. Polycations and Their Complexes. Part I: The Influence of Simple Anions on the Binding of Anionic Dyes To Cellulosic Polycations (*Courtney*) 530
Leeder, J. D. Studies of Wrinkling Properties of Wool Fabrics. Part VI: Effect of Variable Recovery Conditions (*Shishoo*) . 542
Little, T. J. A Method for Determining the Distribution of Polymers in Shrink-Resist Treated Wool Fabrics 523
The Determination of Fabric Loop Length (*Hepworth*) . . . 795
Lyons, Donald W. Dynamic Response Characteristics of the Uster Evenness Transducer (*Williams*) 9
Instrumented Analysis of the Influence of Non-Lint Trash and Lint Color on the Grading of Cotton (*Barker*) 289

Mack, Charles H. Interaction of Flame-Retardant and Untreated Cotton Fabrics During Burning (*Hobart*) 351
Macnair, Richard N. Sorptive Composite Fabrics Containing Activated-Carbon Yarns (*Arons, Coffin*) 324
MacRory, Brian M. Experimental Investigation of the Biaxial Load-Extension Properties of Plain, Weft-Knitted Fabrics (*McCraith, McNamara*) 233
Makinson, K. R. The Swelling of Hercosett Resin 308
The Scales of Keratin Fibers 771
Makishima, Kunio Numbers of Fiber-to-Fiber Contacts in General Fiber Assemblies (*Komori*) 13
Manjunath, B. R. Lattice Conversion of Cellulose by Treatment with Ethylenediamine (*Venkataraman, Subramanian*) 447
Mares, F. Modification of Fiber Surfaces by Monomeric Additives. Part I: Extrusion Techniques (*Oxenrider*) 551
Margavio, Matthew F. Aminization of Cotton Fabric by Slow Dry-Curing (*Guthrie*) 52
Markezich, A. R. Physical and Structural Properties of Pad-Dry-Cure, Core-, and Skin-Crosslinked Fabrics (*Venkatesh, Berni, McSherry*) 584
Length-Change Phenomena Accompanying Liquid-Ammonia and Caustic Mercerization (*Andrews, Hassenboehler, Nelson*) . . 670
Mason, John S. Textile Performance Properties of Cotton Fabric Treated with Selected Flame-Retarding Finishes (*Rowland*) . 365
Development of Resilience and Retention of Strength and Abrasion Resistance in Durable-Press-Treated Flame-Retardant Cotton Fabrics (*Rowland*) 721
Matkowsky, R. D. Interactions of Nonaqueous Solvents with Textile Fibers. Part VIII: Mechanism of Dye Diffusion in Solvent-Treated Polyester Yarns (*Weigmann, Scott, Ribnick*) 745
Matsuura, Koichi The Heat of Combustion and Oxygen Index of Fibrous Materials (*Ohe, Sakai*) 212
McAlpine, Eoghan The Light Stability of 1,4-Disubstituted Aminoanthraquinone Dyes; The Influence of Substituent and Substrate (*Sinclair*) 283
McCraith, J. Roger Experimental Investigation of the Biaxial Load-Extension Properties of Plain, Weft-Knitted Fabrics (*MacRory, McNamara*) 233
McGregor, R. The Response of Textured Yarn Properties to Process Variables in Relation to Barré. Part I: Experimental Design and Dyeing Responses for Conventional False-Twist Pin-Textured Polyester Yarns (*Adeimy*) 477
Part II: Effects of Feed-Yarn Orientation and Correlations Between Yarn Responses (*Adeimy*) 516
Part III: Thermomechanical Measurements on Conventional False-Twist Pin-Textured Polyester Yarns (*Grady, Montgomery, Adeimy*) 598
McKinney, Mary The Effects of Laundering on the Performance of Open-End and Ring-Spun Yarns in Jersey Knit Fabrics (*Broome*) 155
McMahon, D. T. W. Investigations into the Mechanisms of Flame Retardation on Wool (*Gordon, Stephens*) 699
McNamara, A. B. Experimental Investigation of the Biaxial Load-Extension Properties of Plain, Weft-Knitted Fabrics (*MacRory, McCraith*) 233
McSherry, W. F. Physical and Structural Properties of Pad-Dry-Cure, Core-, and Skin-Crosslinked Fabrics (*Venkatesh, Berni, Markezich*) 584
Milligan, B. The Formation of Carbonyl Groups During Irradiation of Wool and its Relevance to Photoyellowing (*Holt*) . . 620
Mitcham, Donald An X-Ray Diffraction Method for the Analysis of Cotton/Polyester Blends (*Berni, Tripp*) 386
Montgomery, T. The Response of Textured Yarn Properties to Process Variables in Relation to Barré. Part III: Thermomechanical Measurements on Conventional False-Twist Pin-Textured Polyester Yarns (*McGregor, Grady, Adeimy*) . . . 598
Mousa, A. H. N. Optimization of Dyestuff Fixation of Cellulosic Prints by Normal Steaming Using Factorial Techniques . . . 513

Mukherjee, A. C. Density and X-Ray Diffraction Studies of Jute at Different Stages of Growth (*Mukhopadhyay*) . . . 224
Mukherjee, A. K. Effects of Anti-Oxidants on Size Distribution of Polycaprolactam During Melting and Melt-Spinning (*Bhattacharya, Abubakkar*) 132
Mukhopadhyay, U. Measurement of Fiber Length of Jute Slivers. Part I: A Study of the Methods of Measurement (*Bhattacharyya*) 24
Density and X-Ray Diffraction Studies of Jute at Different Stages of Growth (*Mukherjee*) 224
Müller, H. Dyeing of Anionically-Modified Polyamide Fibers with Cationic Dyestuffs. Part I: Uptake of the Dyestuff and its Binding (*Rossbach*) 44
Part II: Diffusion of the Dye into the Fiber 77

Needles, Howard L. The Effect of Selected Pretreatments on the Dyeing and Color Properties and pH-Sensitivity of Wools Dyed with Metallized Azo Dyes 18
Neelakantan, P. The Ideal Cotton-Fiber Strength and its Relation to Observed Strength, Maturity, and Fineness 178
The Use of Airflow Measurements to Get Separate Estimates of Cotton Fiber Fineness and Maturity (*Shah*) 407
Nelson, M. L. Length-Change Phenomena Accompanying Liquid-Ammonia and Caustic Mercerization (*Andrews, Hassenboehler, Markezich*) 670
Nishide, Shinko Water-Contact-Angle Studies of Fabrics Radiation-Grafted with Methylhydrogensiloxane (*Shimizu*) 87

Ohe, Hideo The Heat of Combustion and Oxygen Index of Fibrous Materials (*Matsuura, Sakai*) 212
Okabayashi, M. Author's Reply to letter from R. L. D'Arcy on "Torsional Rigidity of Fibers." 565
Oxenrider, B. C. Modification of Fiber Surfaces by Monomeric Additives. Part I: Extrusion Techniques (*Mares*) 551

Pasad, D. M. Influence of Prefinishing Preparatory Processes on Strength-Abrasion Retention of Durable-Press Cotton Fabrics (*Varghese*) 802
Perkins, Henry H. Effects of Oil Contamination on Cotton Quality: Methods of Analysis and Characterization of Contaminants (*Bragg*) 271
Postle, R. Air Permeability of Woven, Double-Knitted, and Warp-Knitted Outerwear Fabrics (*Dhingra*) 630
Prevorsek, D. C. Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VII: Effects of Morphology on Fiber Properties (*Butler, Kwon, Lamb, Sharma*) 107

Ramey, H. H., Jr. Dependence of Changes in Tenacity with Mercerization on Strength Uniformity and Maturity of Cotton Samples (*Lawson*) 249
Relationship of Cotton Fiber Properties to Yarn Tenacity (*Lawson, Worley*) 685
Relation of Cotton Fiber Properties to Sliver Cohesion (*Lawson, Worley*) 755
Rapko, J. N. Distribution of Linear Alkylbenzene Sulfonate Between Fabric and Liquor in Simulated Detergent Liquors (*Kim*) 410
Ray, P. K. The Effect of Strong Alkali Treatment on the Cell-Wall Structure of Ramie Fiber (*Das*) 437
The Effect of Benzoylation on the Fine Structure of Jute (*Chatterjee*) 729
Reagan, Barbara M. Photodegradation of Flame-, Water-, Weather-, and Mildew-Resistant Cotton Tentage Fabrics (*Chiasson*) 637
Rebenfeld, Ludwig The Effect of Quench Rate During Thermal Bonding of Heterohesive Web Systems (*Deakyne, Whitwell*) 491
Reinhardt, Robert M. Sulfonic Acids and Sulfonate Salts as Catalysts in Durable-Press Finishing (*Kullman*) 181
Rhodes, P. L. Processing Cotton with Chemically-Altered Fiber Friction (*Graham, Harper*) 102
Ribnick, A. S. Interaction of Nonaqueous Solvents with Textile Fibers. Part VIII: Mechanism of Dye Diffusion in Solvent-Treated Polyester Yarns (*Weigmann, Scott, Matkowsky*) . . 745
Part IX: Thermal Stability of Solvent-Induced Modifications in Polyester Fiber Structure (*Weigmann, Scott*) 761
Robinson, G. A. The Corona Treatment of Cotton. Part II: Yarn and Fabric Properties (*Abbott*) 199
Rossbach, V. Dyeing of Anionically-Modified Polyamide Fibers with Cationic Dyestuffs. Part I: Uptake of the Dyestuff and its Binding (*Müller*) 44
Rowland, Stanley P. Effectiveness of Prepolymers from Tris-(1,3-Dichloro-2-Propyl) phosphate and Polyethyleneimine as Flame Retardants for Cotton-Containing Fabrics (*Bertoniere*) 82
Postactivation Catalysts for Recurability of DMDHEU-Glycolic Acid Durable-Press Fabrics (*Franklin, Wade*) 317
Textile Performance Properties of Cotton Fabric Treated with Selected Flame-Retarding Finishes (*Mason*) 365
Flame-Retardancy Transfer from FR Cotton Fabric to Cotton/Polyester Blends (*Hobart, Mack*) 394
Recurability and Textile Properties of Postactivated Cotton and Blend Fabrics (*Wade, Franklin*) 440
Exploration of Zinc Salts of Acrylic-Type Polymers as Hydrophilic Finishes for Durable-Press Cotton Fabrics (*Wade, Cirino*) 692
Development of Resilience and Retention of Strength and Abrasion Resistance in Durable-Press-Treated Flame-Retardant Cotton Fabrics (*Mason*) 721
Copolymerization of Addition and Condensation Type Monomers for Flame Retardancy of Cotton and Blend Fabrics (*Blouin*) 789
Roylance, David Ballistics of Transversely Impacted Fibers . . 679
Ruppenicker, George F. Selection of Optimum Fiber Properties for Cotton Knits (*Kingsbery, Bouquet*) 239

Sagdeo, Pradipkumar M. On Fiber Alignment Using Fluid-Dynamic Forces (*Bangert*) 773
Sakai, Naoto The Heat of Combustion and Oxygen Index of Fibrous Materials (*Ohe, Matsuura*) 212
Salhotra, K. R. A Probability Model for Tuft Breakages—Estimation and Application (*Kambo, Singh*) 545
Schaffers, W. J. Buckling in Fiber-Reinforced Elastomers . . . 502
Schick, M. J. An Extractor for Partially-Oriented Yarns 309
Friction and Lubrication of Synthetic Fibers. Part VI: Two-Component Systems 494
Schlaeppi, Fernand Present and Future Developments in Transfer Printing 203
Scott, M. G. Interactions of Nonaqueous Solvents with Textile Fibers. Part VIII: Mechanism of Dye Diffusion in Solvent-Treated Polyester Yarns (*Weigmann, Ribnick, Matkowsky*) . 745
Part IX: Thermal Stability of Solvent-Induced Modifications in Polyester Fiber Structure (*Weigmann, Ribnick*) 761
Sengupta, A. K. A New Method of Estimating the Contribution of Fiber Rupture to Yarn Strength, and its Application (*Singh*) 186
Shah, C. D. Quantum Efficiency of Fading of Disperse Dyes in Textile Substrates (*Srinivasan*) 625
Shah, N. M. The Use of Airflow Measurements to Get Separate Estimates of Cotton Fiber Fineness and Maturity (*Neelakantan*) 407
Sharma, R. K. Influence of Fiber Properties on Wrinkling Behavior of Fabrics. Part VII: Effects of Morphology on Fiber Properties (*Prevorsek, Butler, Kwon, Lamb*) 107
Shimizu, Harumichi Water-Contact-Angle Studies of Fabrics Radiation-Grafted with Methylhydrogensiloxane (*Nishide*) . . 87
Shishoo, Roshan Longitudinal Swelling in Water of Heat-Treated Nylon 66 Yarns and Fabrics 5
Investigation of Degree of Set and Deset for PET and Nylon 66 Yarns. Part I: Method of Measurement (*Bergh*) 56
Sikorski, Jan Properties and Structures of Polyethylene Terephthalate Yarns in Conventional and Simultaneous Draw-Texturing (*Tucker, Johnson, Dobb*) 29
Sinclair, Roy S. The Light Stability of 1,4-Disubstituted Aminoanthraquinone Dyes; The Influence of Substituent and Substrate (*McAlpine*) 283
Singh, A. A Probability Model for Tuft Breakage—Estimation and Application (*Kambo, Salhotra*) 545
Singh, V. P. A New Method of Estimating the Contribution of Fiber Rupture to Yarn Strength, and its Application (*Sengupta*) 186
Sinha, T. B. Dependence of Mechanical Properties on Crystalline, Intermediate, and Amorphous Phases in Poly(Ethylene Terephthalate) Fibers (*Deopura, Varma*) 267
Spence, N. Anomalous Results of Diffusion Coefficients in Acrylic Dyeing Systems (*Asquith, Blair*) 446
Srinivasan, R. Quantum Efficiency of Fading of Disperse Dyes in Textile Substrates (*Shah*) 625
Stephens, L. J. Investigations into the Mechanisms of Flame Retardation on Wool (*Gordon, McMahon*) 699
Stephens, S. G. Construction and Use of a Table for Converting the Arealometer Units *A* and *D* to Estimates of Width and Relative Wall Thickness of the Cotton Fiber 1
Estimation of Cotton Fiber Dimensions from Shirley I.I.C. Fineness/Maturity Tester Readings 526
Sturgeon, P. Z. The Photo-Oxidation of Polypropylene Monofilaments. Part III: Effects of Filament Morphology (*Garton, Carlsson, Wiles*) 423
Subramanian, D. R. Lattice Conversion of Cellulose by Treatment with Ethylenediamine (*Venkataraman, Manjunath*) . . 447

Subramanian, T. A. A Study of Lea-Strength Variations of Ring-Spun Cotton Yarns (*Gupta, Ganesh*) 464
Suganuma, Keiko The Influence of Glass-Transition Temperatures of Poly(Ethylene Terephthalate) Films on the Fading Behavior of Fluorescent Brightening Agents 361
Sunthankar, S. V. Disperse Dyes: Dyeing Properties and Fastness of Azo Dyes (*Thanumoorthy*) 126
Suprunchuk, T. Fiber Identification at the Microgram Level by Infrared Spectroscopy (*Carlsson, Wiles*) 456

Taylor, R. A. Aerodynamic Drag of Cotton Fibers in Crossflow 381
Thanumoorthy, V. Disperse Dyes: Dyeing Properties and Fastness of Azo Dyes (*Sunthankar*) 126
Thibodeaux, Devron P. Cotton as an Electret (*Weiss*) 471
Timpa, Judy D. A New Durable Non-Phosphorus Flame Retardant for Cotton Based on Tetramethylol 2,4-Diamino-6-(3,3,3-Tribromo-1-Propyl)-1,3,5-Triazine (*Chance*) 418
Tripp, V. W. An X-Ray Diffraction Method for the Analysis of Cotton/Polyester Blends (*Mitcham, Berni*) 386
Tucker, Paul Properties and Structures of Polyethylene Terephthalate Yarns in Conventional and Simultaneous Draw-Texturing (*Johnson, Dobb, Sikorski*) 29
Tura, J. M. Belts in Open-End Yarns; Influence of Rotor Diameter and Statistical Distribution (*Barella, Vigo*) 389

Varghese, J. Influence of Prefinishing Preparatory Processes on Strength-Abrasion Retention of Durable-Press Cotton Fabrics (*Pasad*) 802
Varma, D. S. Dependence of Mechanical Properties on Crystalline, Intermediate, and Amorphous Phases in Poly(Ethylene Terephthalate) Fibers (*Deopura, Sinha*) 267
Venkataraman, A. Lattice Conversion of Cellulose by Treatment with Ethylenediamine (*Subramanian, Manjunath*) 447
Venkatesh, G. M. Physical and Structural Properties of Pad-Dry-Cure, Core-, and Skin-Crosslinked Fabrics (*Berni, McSherry, Markezich*) 584
Vigo, J. P. Belts in Open-End Yarns; Influence of Rotor Diameter and Statistical Distribution (*Barella, Tura*) 389

Wade, C. P. Postactivation Catalysts for Recurability of DMDHEU-Glycolic Acid Durable-Press Fabrics (*Franklin, Rowland*) 317
Recurability and Textile Properties of Postactivated Cotton and Blend Fabrics (*Franklin, Rowland*) 440
Exploration of Zinc Salts of Acrylic-Type Polymers as Hydrophilic Finishes for Durable-Press Cotton Fabrics (*Rowland, Cirino*) 692
Walters, J. P. Glass-Transition Temperatures of Polyamide Textile Fibers. Part I: The Effects of Molecular Structure, Water, Fiber Structure, and Experimental Technique (*Buchanan*) 398
Part II: Relationships Between T_g and Dyeability (*Buchanan*) 451
Ward, T. L. The Effect of Argon Cold Plasma on Water Absorption of Cotton (*Jung, Benerito*) 217
Water Absorption of Toweling as Affected by Argon Cold Plasma (*Jung*) 563
Warfield, Carol L. Incremental Frictional Abrasion. Part I: Effects on Fiber Characteristics (*Elias, Galbraith*) 294
Part II: Effects on Yarn and Fabric Characteristics (*Elias, Galbraith*) 332
Weigmann, H.-D. An Examination of Flaw-Dependent Theories of Fiber Strength (*Lamb*) 66
Interactions of Nonaqueous Solvents with Textile Fibers. Part VIII: Mechanism of Dye Diffusion in Solvent-Treated Polyester Yarns (*Scott, Ribnick, Matkowsky*) 745
Part IX: Thermal Stability of Solvent-Induced Modification in Polyester Fiber Structure (*Scott, Ribnick*) 761
Weiss, Louis C. Cotton as an Electret (*Thibodeaux*) 471
Welty, Ronald E. Characterizing Airborne Microorganisms in a Cotton Card Room Using an Andersen Air Sampler (*Gilbert, Fornes*) 38
Whitwell, John C. The Effect of Quench Rate During Thermal Bonding of Heterohesive Web Systems (*Deakyne, Rebenfeld*) 491
Wiles, D. M. The Photo-Oxidation of Polypropylene Monofilaments. Part III: Effects of Filament Morphology (*Garton, Carlsson, Sturgeon*) 423
Fiber Identification at the Microgram Level by Infrared Spectroscopy (*Carlsson, Suprunchuk*) 456
Williams, Robert Dynamic Response Characteristics of the Uster Evenness Transducer (*Lyons*) 9
Work, Robert W. Dimensions, Birefringences, and Force-Elongation Behavior of Major and Minor Ampullate Silk Fibers from Orb-Web-Spinning Spiders—The Effects of Wetting on These Properties 650
Worley, S., Jr. Relationship of Cotton Fiber Properties to Yarn Tenacity (*Ramey, Lawson*) 685
Relation of Cotton Fiber Properties to Sliver Cohesion (*Lawson, Ramey*) 755

SUBJECT INDEX

Abrasion
deterioration of Nomex aramid fiber: microscopical observations of abrasive and uv deterioration *Kirkwood* . . . 171
Abrasion, Frictional
incremental: Part I: effects on fiber characteristics *Elias, Warfield, Galbraith* 294
Part II: effects on yarn and fabric characteristics *Elias, Warfield, Galbraith* 332
Abrasion Resistance
and resilience and strength retention in cotton fabrics: development of in durable-press-treated flame-retardant fabrics *Rowland, Mason* 721
Acrylic Dyeing Systems
diffusion coefficients in: anomalous results of *Asquith, Blair, Spence* 446
Activated-Carbon Yarns
in sorptive composite fabrics: *Macnair, Arons, Coffin* . . . 324
Adhesion
to wool fibers: surface-chemical aspects of polymer spreading *Bateup, Cook, Feldtman, Fleischfresser* 97
Adsorption
of cotton and blend fabrics: distribution of linear alkylbenzene sulfonate between fabric and liquor in simulated detergent liquors *Rapko, Kim* 410
Aerodynamic Drag
of cotton fibers in crossflow: *Taylor* 381
Ageing Behavior
of pre-oriented PET yarn: followed by DSC *Hagege* . . . 229
Airflow Measurements
use of: to get separate estimates of cotton fiber fineness and maturity *Neelakantan, Shah* 407
Air Permeability
of outerwear fabrics: woven, double-knitted, warp-knitted *Dhingra, Postle* 630
Air Pollution
control applications: and a review of fabric filtration *Frederick* 575
Alkali Treatment
strong: effect of on cell-wall structure of ramie fiber *Ray, Das* 437
Amidomethylation
application of reaction: (Tscherniac-Einhorn) in dye synthesis *Guise, Bühler* 496
Aminization
of cotton fabric: by slow dry-curing *Margavio, Guthrie* . . . 52
Antibacterial Treatment
of cotton: and flame retardation: using modified THPOH-ammonia treatment *Cashen* 740
Anti-Oxidants
effects of: on size distribution of polycaprolactam during melting and melt-spinning *Bhattacharya, Abubakkar, Mukherjee* 132
Arealometer
units *A* and *D*: converting to estimates of width and relative wall thickness of cotton fiber *Stephens* 1
Argon Cold Plasma
effect of on water absorption: of cotton *Jung, Ward, Benerito* 217

Ballistics
of transversely-impacted fibers: *Roylance* 679
Belts
in open-end yarns: influence of rotor diameter and statistical distribution *Barella, Tura, Vigo* 389
Benzoylation
of jute: effect of on fine structure *Chatterjee, Ray* 729
Blends
cotton/polyester: x-ray diffraction method for analysis of *Mitcham, Berni, Tripp* 386
Bonding, Thermal
of heterohesive web systems: effect of quench rate during *Deakyne, Rebenfeld, Whitwell* 491
Buckling
in fiber-reinforced elastomers: *Schaffers* 502

Byssinosis
research on: collection of large quantities of respirable cotton dust for *Brown, Berni* 152

Carbonyl Groups
formation of: during irradiation of wool, and relevance to photoyellowing *Holt, Milligan* 620
Card Room, Cotton
airborne microorganisms in: characterizing, using Andersen Air Sampler *Welty, Gilbert, Fornes* 38
Carpets
dimensional stability of: Part I: mechanical actions *Gentry* 459
Indian wool: effect of residual oil and soap on functional properties of *Batra, Dhillon* 227
Catalysts
in durable-press finishing: sulfonic acids and sulfonate salts *Reinhardt, Kullman* 181
Cellulose
high-lightfastness direct dye in: measurement of particle size by *p*-nitrophenol adsorption *Giles, Haslam* 347
lattice conversion of: by treatment with ethylenediamine *Venkataraman, Subramanian, Manjunath* 447
pyrolysis products from: treated with flame retardants. Part I: halogen-containing flame retardants *Garn, Denson* . . . 485
Part II: nitrogen-containing flame retardants *Garn, Denson* . 535
Part III: ancillary studies *Garn, Denson* 591
Cellulosic Prints
dyestuff fixation of: optimization of by normal steaming using factorial techniques *Mousa* 513
Color Changes
due to mercerization: changes in internal scattering sufficient to explain *Goldfinger* 633
Contact Angle
determination of: of liquid droplet on a thin fiber *Carroll* 561
Copolymerization
of monomers: for flame retardancy of cotton and blend fabrics *Blouin, Rowland* 789
Core Crosslinking
and pad-dry-cure and skin-crosslinking: physical and structural properties of fabrics *Venkatesh, Berni, McSherry, Markezich* 584
Corona Treatment
of cotton: Part I: sliver cohesion *Abbott* 141
Part II: yarn and fabric properties *Abbott, Robinson* 199
Cotton
as an electret: *Weiss, Thibodeaux* 471
corona treatment of: Part I: sliver cohesion *Abbott* . . . 141
Part II: yarn and fabric properties *Abbott, Robinson* 199
crosslinking of: application of N-methylol agent from emulsion system *Betrabet, Daruwalla, Doshi* 328
processing of: with chemically-altered fiber friction *Graham, Rhodes, Harper* 102
water absorption: effect of argon cold plasma on *Jung, Ward, Benerito* 217
wrinkle-resistant finishing of: use of sulphamic acid or its ammonium salt as catalyst in *Doshi, Daruwalla* 712
Cotton and Blend Fabrics
postactivated: recurability and textile properties of *Wade, Franklin, Rowland* 440
Cotton-Blend Knits
optimum fiber properties for: selection of *Ruppenicker, Kingsbery, Bouquet* 239
Cotton, Cateye
walls of: structural aspects of *deGruy, Carra* 91
Cotton, Chemically-Treated
changes in tenacity with mercerization: dependence of on strength uniformity and maturity of cotton samples *Lawson, Ramey* 249
for flame retardancy and antibacterial properties: modified THPOH-ammonia treatment *Cashen* 740
processing of: chemically-altered fiber friction *Graham, Rhodes, Harper* 102
Cotton-Containing Fabrics
flame retardants for: effectiveness of prepolymers from tris(1,3-dichloro-2-propyl) phosphate and polyethylenimine *Bertoniere, Rowland* 82
Cotton Dust
card-room dust levels and human response to: raw cotton cleaned by the Shirley Analyzer *Griffin, Hatcher, Cocke* . . 129
collection of large quantities of: for byssinosis research *Brown, Berni* 152
Cotton Fabric
aminization of: by slow dry-curing *Margavio, Guthrie* . . . 52
flame-retardancy transfer: from cotton to cotton/polyester blends *Hobart, Mack, Rowland* 394
flame-retardant for: new, durable, based on TM-DABT *Chance, Timpa* 418
textile performance properties of: treated with selected flame-retarding finishes *Rowland, Mason* 365
Cotton Fabrics
durable-press: exploration of zinc salts of acrylic-type polymers as hydrophilic finishes for *Rowland, Wade, Cirino* 692
flame-retardant: interaction of with untreated during burning *Hobart, Mack* 351
flame retardants for: iodometric determination of P(III) in. Part IV: reaction of Thpc with iodate *Frank* 60
photodegradation of: flame-, water-, weather-, and mildew-resistant tentage *Reagan, Chiasson* 637
Cotton Fiber
fineness and maturity: use of airflow measurements to get separate estimates of *Neelakantan, Shah* 407
ideal strength: and its relation to observed strength, maturity, fineness *Neelakantan* 178
width and relative wall thickness of: construction and use of table for converting Arealometer units *A* and *D* to estimates of *Stephens* 1
Cotton Fiber Properties
relation to sliver cohesion: statistical evaluation of *Lawson, Worley, Ramey* 755
relation to yarn tenacity: *Ramey, Lawson, Worley* 685
Cotton Fibers
dimensions of: estimation from Shirley I.I.C. fineness/maturity tester *Stephens* 526
in crossflow: aerodynamic drag of *Taylor* 381
Cotton Grading
influence of non-lint trash and lint color on: instrumented analysis of *Barker, Lyons* 289
Cotton Knits
fiber properties for: selection of optimum properties *Ruppenicker, Kingsbery, Bouquet* 239
Cotton, Mercerized
darker dyeing of: by given amount of dye *Goldthwait* . . 632
Cotton/Polyester Blends
cotton mercerization: effect of on *Gupta, H-Kish, El-Shiek* 428
Cotton Quality
effects of oil contamination of: methods of analysis and characterization of contaminants *Perkins, Bragg* 271
Cotton Yarns
ring-spun: study of lea-strength variation of *Gupta, Ganesh, Subramanian* 464
Creep
nonlinear: a model for, of textile fibers *Gupta, Kumar* . . . 647
Crosslinking
application of N-methylol agent: to cotton from an emulsion system *Betrabet, Daruwalla, Doshi* 328
of fabrics: pad-dry-cure, core-, and skin-crosslinked fabrics compared re physical and structural properties *Venkatesh, Berni, McSherry, Markezich* 584

Detergents
simulated liquors: distribution of linear alkylbenzene sulfonate between fabric and liquor in *Rapko, Kim* 410
Deterioration
abrasive and uv: of Nomex aramid fiber—microscopical observations of *Kirkwood* 171
Diffusion Coefficients
anomalous results of: in acrylic dyeing systems *Asquith, Blair, Spence* 447
Dimensional Stability
of carpets in installations: stability to mechanical actions *Gentry* 459
Disperse Dyes
dyeing properties and fastness of azo dyes: *Sunthankar, Thanumoorthy* 126
quantum efficiency of fading of in textile substrates *Shah, Srinivasan* 625
Draw-Texturing
conventional and simultaneous: properties and structures of PET yarns in *Tucker, Johnson, Dobb, Sikorski* 29
Dry-Curing, Slow
of cotton fabric: to achieve aminization *Margavio, Guthrie* . 52
Durable-Press
cotton fabrics: influence of prefinishing preparatory processes on strength-abrasion retention of *Varghese, Pasad* 802
Durable-Press Fabric
electrical resistivity of: modifying *Harper, Bruno, Gautreaux* 340
Durable-Press Fabrics
flame-retardant cotton: development of resilience and retention of strength and abrasion resistance in *Rowland, Mason* 721
recurability of DMDHEU-glycolic acid DP fabrics: post-activation catalysts for *Franklin, Wade, Rowland* 317
Durable-Press Finishing
catalysts for: sulfonic acids and sulfonate salts as *Reinhardt, Kullman* 181

Dust, Cotton
card-room dust levels: and response of humans to raw cotton cleaned by the Shirley Analyzer *Griffin, Hatcher, Cocke* . . 129
collection of large quantities: for byssinosis research *Brown, Berni* 152
Dye Diffusion
in solvent-treated polyester yarns: mechanism of *Weigmann, Scott, Ribnick, Matkowsky* 745
Dye, Direct
high-lightfastness: measurement of particle size, in cellulose by *p*-nitrophenol adsorption *Giles, Haslam* 347
Dyeing
darker: of mercerized cotton by given amount of dye *Goldthwait* 632
of anionically-modified polyamide fibers: with cationic dyestuffs. Part I: uptake of dyestuff and its binding *Müller, Rossbach* 44
Part II: Diffusion of the dye into the fiber *Müller* 77
Dyeing Behavior
response of textured yarn properties to process variables in relation to barré: Part I: experimental design and dyeing responses for conventional false-twist pin-textured polyester yarns *McGregor, Adeimy* 477
Dyes
1,4-disubstituted aminoanthraquinone: light stability of *McAlpine, Sinclair* 283
Dyes, Anionic
adsorption of by nylon 6: effects of some aromatic hydroxy compounds on *Cook, Hajisharifi* 244
binding of: influence of simple anions on, to cellulose polycations *Courtney, Lawton* 530
Dyes, Disperse
dyeing properties and fastness of azo dyes: *Sunthankar, Thanumoorthy* 126
Dyes, Metallized Azo
on wool: effect of selected pretreatments on dyeing and color properties and pH-sensitivity *Needles* 18
Dyestuff Fixation
optimization of: of cellulosic prints by normal steaming using factorial techniques *Mousa* 513
Dye Synthesis
amidomethylation (Tscherniac-Einhorn) reaction in: application of *Guise, Bühler* 496
Dye Transfer Mechanism
analysis of: in heat transfer printing *Gorondy* 604
Dye Uniformity
of textured yarns: correlations between dyeing responses and other yarn properties *McGregor, Adeimy* 516

Elastomers
fiber-reinforced: buckling in *Schaffers* 502
Electret
cotton as an: *Weiss, Thibodeaux* 471
Electrical Stimulation
of fabric filtration: *Lamb, Costanza* 372
Electrostatic Spinning
fundamentals of: Part III: behavior of fibers and randomization of their positions relative to each other in the field zone of the machine *Dogu* 780

Fabric Filtration
review of: and air-pollution control applications *Frederick* . 575
Fabric Loop Length
determination of: using SEM and aerogrammetry *Little, Hepworth* 795
Fabrics
core- and skin-crosslinked and pad-dry-cure: physical and structural properties of *Venkatesh, Berni, McSherry, Markezich* 584
jersey knit: effects of laundering on performance of open-end and ring-spun yarns *McKinney, Broome* 155
plain, weft-knitted: experimental investigation of biaxial load-extension properties of *MacRory, McCraith, McNamara* . . 233
water-contact-angle studies of: radiation-grafted with methylhydrogensiloxane *Nishide, Shimizu* 87
wrinkling behavior of: influence of fiber properties on. Part VII: effects of morphology on fiber properties *Prevorsek, Butler, Kwon, Lamb, Sharma* 107
Fabrics, Cotton-Containing
flame retardants for: effectiveness of prepolymers from tris-(1,3-dichloro-2-propyl) phosphate and polyethylenimine *Bertoniere, Rowland* 82
Fabrics, Outerwear
air permeability of: woven, double-knitted, and warp-knitted *Dhingra, Postle* 630
Fabrics, Sorptive Composite
containing activated-carbon yarns: *Macnair, Arons, Coffin* 324
Fading Behavior
of fluorescent brightening agents: influence of glass-transition temperatures of PET films on *Suganuma* 361
False-Twist Texturing
wind-up tension in: dependence of latent crimp on *Familant* 448
Fiber Alignment
using fluid-dynamic forces: a simple approach using transverse air jets *Bangert, Sagdeo* 773
Fiber Assemblies, General
numbers of fiber-to-fiber contacts in: *Komori, Makishima* 13
Fiber, Cotton
width and relative wall thickness of: construction and use of table for converting Arealometer units *A* and *D* to estimates of *Stephens* 1
Fiber Fineness
cotton: accounts for drop in bundle strength as gauge length increases *Neelakantan* 178
Fiber Friction
chemically-altered: for processing cotton *Graham, Rhodes, Harper* 102
Fiber Properties
influence of on wrinkling behavior of fabrics: Part VII: effects of morphology on fiber properties *Prevorsek, Butler, Kwon, Lamb, Sharma* 107
selection of optimum: for cotton knits *Ruppenicker, Kingsbery, Bouquet* 239
Fiber Rupture
contribution to yarn strength: new method of estimating contribution, and application *Singh, Sengupta* 186
Fibers
identification of: at microgram level by ir spectroscopy *Carlsson, Suprunchuk, Wiles* 456
nonlinear creep of: a model for *Gupta, Kumar* 647
torsional rigidity of: *D'Arcy* 565
transversely-impacted: ballistics of *Roylance* 679
Fibers, Cotton
estimation of dimensions: from Shirley I.I.C. fineness/maturity tester *Stephens* 526
Fibers, Nomex® and Kevlar®
thermal analysis of: *Brown, Ennis* 62
Fibers, PET
mechanical properties: dependence of on crystalline, intermediate, and amorphous phases in *Deopura, Sinha, Varma* 267
Fibers, Spider-Silk
properties of: effects of wetting on *Work* 650
Fiber Strength
flaw-dependent theories of: an examination of *Lamb, Weigmann* 66
Fiber Surfaces
modification of: by monomeric additives. Part I: extrusion techniques *Mares, Oxenrider* 551
Fibers, Synthetic
friction and lubrication of: Part VI: two-component systems *Schick* 494
Fiber, Thin
determination of contact angle of liquid droplet on: *Carroll* 561
Fibrous Materials
heat of combustion of: and OI *Ohe, Matsuura, Sakai* . . . 212
Film, Thin-Layer Liquid
thickness of: on rotating roll, and measurement by x-ray backscattering technique *Chao* 311
Filtration, Fabric
electrical stimulation of: *Lamb, Costanza* 372
Finishes for Wool
polybutadiene: for shrink-resist and durable-press *Guise* . . 163
Finish Extractor
for partially-oriented yarns: *Schick* 309
Flame-Resistant Wool
and shrink-resistant: combined application of reactive compounds in nonaqueous swelling solvents for *Koenig, Friedman* 139
Flame Retardancy
of cotton: and antibacterial treatments: using/modified THPOH-ammonia treatment *Cashen* 740
of cotton and blend fabrics: copolymerization of monomers for *Blouin, Rowland* 789
transfer of: from treated and untreated cotton fabrics during burning *Hobart, Mack* 351
Flame-Retardancy Transfer
from FR cotton fabric: to cotton/polyester blends *Hobart, Mack, Rowland* 394
Flame Retardant
new durable nonphosphorus: for cotton, based on TM-DABT *Chance, Timpa* 418
Flame-Retardant Cotton Fabrics
durable-press-treated: development of resilience and retention of strength and abrasion resistance in *Rowland, Mason* 721

Flame Retardants
cellulose treated with: pyrolysis products from. Part I: halogen-containing flame retardants *Garn, Denson* 485
Part II: nitrogen-containing flame retardants *Garn, Denson* . 535
Part III: ancillary studies *Garn, Denson* 591
for cotton: iodometric determination of P(III) in. Part IV: reaction of Thpc with iodate *Frank* 60
for cotton-containing fabrics: effectiveness of prepolymers from tris(1,3-dichloro-2-propyl) phosphate and polyethylenimine *Bertoniere, Rowland* 82
Flame Retardation
mechanisms of: on wool *Gordon, McMahon, Stephens* . . . 699
Flame-Retarding Finishes
on cotton fabric: textile performance properties studied *Rowland, Mason* 365
Flaw-Dependent Theories of Fiber Strength
an examination of: *Lamb, Weigmann* 66
Flexure
of elastic two-filament yarns: *Huang* 73
Fluid Dynamics
forces used to align fibers: simple approach using transverse air jets *Bangert, Sagdeo* 773
Friction
of synthetic fibers: and lubrication. Part VI: two-component systems *Schick* 494
Frictional Abrasion
incremental: Part I: effects on fiber characteristics *Elias, Warfield, Galbraith* 294
Part II: effects on yarn and fabric characteristics *Warfield, Elias, Galbraith* 332

Gas Sorption
multilayer theory for: Part I: sorption of a single gas *Dent* 145
Part II: sorption of gas mixtures *Dent* 188
Glass-Transition Temperatures
influence of: of PET films on fading behavior of fluorescent brightening agents *Suganuma* 361
of polyamide textile fibers: Part I: effects of molecular structure, water, fiber structure, and experimental technique *Buchanan, Walters* 398
Part II: relationships between T_g and dyeability *Walters, Buchanan* 451

Heat of Combustion
of fibrous materials: and OI *Ohe, Matsuura, Sakai* 212
Heat Transfer Printing
dye-transfer mechanism in: analysis of *Gorondy* 604
Hercosett Resin
swelling of: *Makinson* 308
Human Hair
sorption and desorption of cationic polymer by: effects of salt solutions *Faucher, Goddard, Hannan* 616
Hydroxy Compounds
aromatic: effects of on adsorption of anionic dyes by nylon 6 *Cook, Hajisharifi* 244

International System of Units (SI)
information regarding: compiled by Staff at Textile Research Institute. revised, August, 1977 568

Jute
benzoylation of: effect of on fine structure *Chatterjee, Ray* 729
density and x-ray diffraction studies of: at different stages of growth *Mukhopadhyay, Mukherjee* 224
slivers: measurement of fiber length. Part I: methods of measurement *Mukhopadhyay, Bhattacharyya* 24

Keratin Fibers
the scales of: *Makinson* 771
Knitted Fabrics
determination of fabric loop length: using SEM and aerogrammetry *Little, Hepworth* 795

Laser-Beam Diffraction
for measurement of swelling: of wool fibers in solvents *Brančík, Datyner* 662
Latent Crimp
dependence of: on wind-up tension in false-twist texturing process *Familant* 448
Lattice Conversion
of cellulose: by treatment with ethylenediamine *Venkataraman, Subramanian, Manjunath* 447

Laundering
effects of: on performance of open-end and ring-spun yarns in jersey knit fabrics *McKinney, Broome* 155
Lea-Strength Variation
of ring-spun cotton yarn: study of *Gupta, Ganesh, Subramanian* 464
Length-Change Phenomena
of cotton yarn: accompanying liquid-ammonia and caustic mercerization *Andrews, Hassenboehler, Nelson, Markezich* . 670
Light Stability
of 1,4-disubstituted aminoanthraquinone dyes: influence of substituent and substrate *McAlpine, Sinclair* 283
Lint, Cotton
and grading of cotton: instrumented analysis of influence of non-lint trash and lint color on *Barker, Lyons* 289
Load Extension, Biaxial
properties: experimental investigation of in plain, weft-knitted fabrics *MacRory, McCraith, McNamara* 233

Melting, Melt-Spinning
of polycaprolactam: effects of anti-oxidants on size distribution of material *Bhattacharya, Abubakkar, Mukherjee* . . . 132
Mercerization
and tenacity: dependence of changes in tenacity on strength uniformity and maturity of cotton samples *Lawson, Ramey* 249
color changes due to: changes in internal scattering sufficient to explain *Goldfinger* 633
liquid-ammonia and caustic: length-change phenomena accompanying *Andrews, Hassenboehler, Nelson, Markezich* . . 670
Mercerization, Cotton
effect of: on cotton/polyester blends *Gupta, H-Kish, El-Shiekh* 428
Microorganisms
airborne: characterizing in cotton card room using Andersen Air Sampler *Welty, Gilbert, Fornes* 38
Model, Multilayer
for gas sorption: of a single gas *Dent* 145
for gas sorption: of gas mixtures *Dent* 188
Model, Probability
for tuft breakages: *Kambo, Aziz* 302
for tuft breakages: estimation and application *Kambo, Salhotra, Singh* 545
Monomeric Additives
modifications of fiber surfaces by: Part I: extrusion techniques *Mares, Oxenrider* 551

Nomex® Aramid Fiber
abrasive and uv deterioration of: microscopical observations of *Kirkwood* 171
Nonaqueous solvents
interactions of with textile fibers: Part VIII: mechanism of dye diffusion in solvent-treated polyester yarns *Weigmann, Scott, Ribnick, Matkowsky* 745
Part IX: thermal stability of solvent-induced modifications in polyester fiber structure *Weigmann, Scott, Ribnick* 761
Nylon 6
absorption of anionic dyes by: effects of some aromatic hydroxy compounds on *Cook, Hajisharifi* 244
Nylon 66
heat-treated yarns and fabrics: longitudinal swelling of in water *Shishoo* 5
Nylon 66 Yarns
and PET yarns: investigation of degree of set and deset. Part I: method of measurement *Shishoo, Bergh* 56

Oil Contamination
effects on cotton quality: methods of analysis and characterization of contaminants *Perkins, Bragg* 271
Oxidation
of carboxymethyl starch: with sodium hypochlorite *El-Thalouth, Hanna, Hebeish* 209
Oxygen Index
and heat of combustion: of fibrous materials *Ohe, Matsuura, Sakai* 212

Particle Size
measurement of: of high-lightfastness direct dye in cellulose by *p*-nitrophenol adsorption *Giles, Haslam* 347
PET Fibers
mechanical properties: dependence of on crystalline, intermediate, and amorphous phases *Deopura, Sinha, Varma* . . 267
PET Films
glass-transition temperatures of: influence of on fading behavior of fluorescent brightening agents *Suganuma* 361

PET Yarns
and nylon 66 yarns: investigation of degree of set and deset. Part I: method of measurement *Shishoo, Bergh* 56
pre-oriented: ageing behavior of, followed by DSC *Hagege* . 229
properties and structures of: in conventional and simultaneous draw-texturing *Tucker, Johnson, Dobb, Sikorski* . . 29
Photodegradation
of cotton fabrics: flame-, water-, weather-, and mildew-resistant tentage *Reagan, Chiasson* 637
Photolysis
of disperse dyes: quantum efficiency values for on hydrophobic substrates *Shah, Srinivasan* 625
Photo-Oxidation
of polypropylene monofilaments: Part III: effects of filament morphology *Garton, Carlsson, Sturgeon, Wiles* 423
Polyamide Fibers
anionically-modified: dyeing of with cationic dyestuffs. Part I: uptake of dyestuff and its binding *Müller, Rossbach* . . 44
Part II: diffusion of dye into fiber *Müller* 77
glass-transition tempertaures of: Part I: effects of molecular structure, water, fiber structure, and experimental technique *Buchanan, Walters* 398
Part II: relationships between T_g and dyeability *Walters, Buchanan* 451
Polycaprolactam
size distribution of: effect of anti-oxidants on during melting and melt-spinning *Bhattacharya, Abubakkar, Mukherjee* . . 132
Polycations
and their complexes: Part I: influence of simple anions on binding of anionic dyes to cellulosic polycations *Courtney, Lawton* 530
Polyester
imparting properties to: a technique for soil-release, soil-antiredeposition, and moisture-transport properties *Hayes, Dixon* 277
Polyester Fiber
solvent-induced modifications in structure: thermal stability of *Weigmann, Scott, Ribnick* 761
Polyester Yarns
mechanism of dye diffusion in: nonaqueous solvent-treated *Weigmann, Scott, Ribnick, Matkowsky* 745
Poly(Ethylene Terephthalate) Yarn
process conditions for: selection of *Broderick, Broughton* . 666
Polymers
acrylic-type: exploration of zinc salts as hydrophilic finishes for durable-press cotton fabrics *Rowland, Wade, Cirino* . . 692
distribution of: in shrink-resist-treated wool fabrics: method for determining *Little* 523
Polymer Spreading
and adhesion to wool fibers: surface-chemical aspects of *Bateup, Cook, Feldtman, Fleischfresser* 97
Polypropylene Monofilaments
photo-oxidation of: Part III: effects of filament morphology *Garton, Carlsson, Sturgeon, Wiles* 423
Postactivation Catalysts
for recurability: of DMDHEU-glycolic acid durable-press fabrics *Franklin, Wade, Rowland* 317
Prefinishing
influence of preparatory processes: on strength-abrasion retention of DP cotton fabrics *Varghese, Pasad* 802
Prepolymers
of tris(1,3-dichloro-2-propyl) phosphate with polyethylenimine: effectiveness as flame retardants for cotton-containing fabrics *Bertoniere, Rowland* 82
Pyrolysis Products
from cellulose: treated with flame retardants. Part I: halogen-containing flame retardants *Garn, Denson* 485
Part II: nitrogen-containing flame retardants *Garn, Denson* . . 535
Part III: ancillary studies *Garn, Denson* 591

Quench Rate
effect of during thermal bonding: of heterohesive web systems *Deakyne, Rebenfeld, Whitwell* 491

Radiation Grafting
with methylhydrogensiloxane: water-contact-angle studies of grafted fabrics *Nishide, Shimizu* 87
Ramie Fiber
cell-wall structure of: effect of strong alkali treatment on *Ray, Das* 437
Recurability
of DMDHEU-glycolic acid DP fabrics: postactivation catalysts for *Franklin, Wade, Rowland* 317
of postactivated cotton and blend fabrics: and textile properties *Wade, Franklin, Rowland* 440
Resistivity, Electrical
modifying of: of durable-press fabric *Harper, Bruno, Gautreaux* 340

Scales
of keratin fibers: *Makinson* 771
Set and Deset
degree of: investigation of for PET and nylon 66 yarns. Part I: method of measurement *Shishoo, Bergh* 56
Shirley Analyzer
used to clean raw cotton: to test for card-room dust levels and human response *Griffin, Hatcher, Cocke* 129
Shrink-Resistant Wool
and flame-resistant: combined application of reactive compounds in nonaqueous swelling solvents for *Koenig, Friedman* 139
SI Units
information regarding: compiled by TRI staff, revised Aug, 1977 568
Sliver Cohesion
relation to cotton fiber properties: statistical evaluation of *Lawson, Worley, Ramey* 755
Soil-Release Properties
a technique for imparting to polyester: and soil-antiredeposition and moisture-transport properties *Hayes, Dixon* 277
Sorption and Desorption
of cationic polymer: by human hair: effects of salt solutions *Faucher, Goddard, Hannan* 616
Sorption of Gas
multilayer theory of: Part I: sorption of single gas *Dent* . 145
Part II: sorption of gas mixtures *Dent* 188
Spectroscopy, Infrared
fiber identification by: at the microgram level *Carlsson, Suprunchuk, Wiles* 456
Spider-Silk Fibers
properties of: effects of wetting on *Work* 650
Spinning
electrostatic: fundamentals of *Dogu* 780
Starch, Carboxymethyl
oxidation of: with sodium hypochlorite *El-Thalouth, Hanna, Hebeish* 209
Swelling
measurement of: of wool fibers in solvents by laser-beam diffraction *Brančík, Datyner* 662
of Hercosett resin: *Makinson* 308
Swelling, Longitudinal
in water: of heat-treated nylon 66 yarns and fabrics *Shishoo* 5

Tenacity
with mercerization: dependence of changes in on strength uniformity and maturity of cotton samples *Lawson, Ramey* 249
Texturing
mechanics of: thermoplastic yarns. Part V: steady-state mechanics of draw-texturing *Brookstein, Backer* 256
Thermal Analysis
of Nomex® and Kevlar® fibers: *Brown, Ennis* 62
Thermal Stability
of solvent-induced modifications in polyester fiber structure: *Weigmann, Scott, Ribnick* 761
Thermal Stress Analysis
of textile yarns: technique discussed *Buchanan, Hardegree* . 732
Thermomechanical Measurements
on conventional false-twist pin-textured polyester yarns: response of textured yarn properties to process variables in relation to barré *McGregor, Grady, Montgomery, Adeimy* . . 598
Torsional Rigidity
of fibers: comments on *D'Arcy* 565
Reply: to comments by D'Arcy *Okubayashi* 565
Toweling
water absorption of: as affected by argon cold plasma *Jung, Ward* 563
Transfer Printing
present and future developments: *Schlaeppi* 203
Tuft Breakages
probability model for: *Kambo, Aziz* 302
estimation and application of probability model for: *Kambo, Salhotra, Singh* 545

Uster Evenness Transducer
dynamic response characteristics of: *Williams, Lyons* . . 9

Water Absorption
of cotton: effect of argon cold plasma on *Jung, Ward, Benerito* 217
of toweling: as affected by argon cold plasma *Jung, Ward* . . 563

Water-Contact-Angle Studies
of fabrics: radiation-grafted with methylhydrogensiloxane *Nishide, Shimizu* 87
Wetting
effects of: on properties of spider-silk fibers *Work* 650
Winding Tension
role of: in rendering crimp latent in false-twist-textured yarn *Gupta* 634
Wool
flame retardation on: mechanisms of *Gordon, McMahon, Stephens* 699
Wool Carpets, Indian
functional properties of: effect of residual oil and soap on *Batra, Dhillon* 227
Wool, Chemically-Treated
finishes for: polybutadiene shrink-resist and durable-press *Guise* 163
flame- and shrink-resistant: combined application of reactive compounds in nonaqueous swelling solvents for *Koenig, Friedman* 139
THPC and PS anion pretreatments: effect of on dyeing and color properties and pH sensitivity with metallized azo dyes *Needles* 18
Wool, Dyeing of
with metallized azo dyes: effect of selected pretreatments on dyeing and color properties and pH-sensitivity *Needles* . . 18
Wool Fabrics
shrink-resist-treated: method for determining distribution of polymers in *Little* 523
wrinkling properties of: Part VI: effect of variable recovery conditions *Leeder, Shishoo* 542
Wool Fibers
polymer spreading and adhesion to: surface-chemical aspects of *Bateup, Cook, Feldtman, Fleischfresser* 97
swelling of: measurement of in solvents by laser-beam diffraction *Brančík, Datyner* 662
Wool Irradiation
formation of carboxyl groups during: and relevance to photoyellowing *Holt, Milligan* 620
Wrinkle-Resistant Finishing
of cotton: use of sulphamic acid or its ammonium salt as catalyst for *Doshi, Daruwalla* 712
Wrinkling Behavior
of fabrics: influence of fiber properties on. Part VII: effects of morphology on fiber properties *Prevorsek, Butler, Kwon, Lamb, Sharma* 107
Wrinkling Properties
of wool fabrics: Part VI: effect of variable recovery conditions *Leeder, Shishoo* 542
X-Ray Backscattering Technique
used to measure film thickness: of thin-layer liquid film on rotating roll *Chao* 311
X-Ray Diffraction
method for analysis of cotton/polyester blends: *Mitcham, Berni, Tripp* 386

Yarn
false-twist-textured: role of winding tension in rendering crimp latent in *Gupta* 634
poly(ethylene terephthalate): selection of process conditions for *Broderick, Broughton* 666
Yarn Processing
response of textured yarn properties: to process variables in relation to barré. Part I: experimental design and dyeing responses for conventional false-twist pin-textured polyester *McGregor, Adeimy* 477
Part II: effects of feed-yarn orientation and correlations between yarn responses *McGregor, Adeimy* 516
Part III: thermochemical measurements on conventional false-twist pin-textured polyester yarns *McGregor, Grady, Montgomery, Adeimy* 598
Yarns
open-end and ring-spun: effects of laundering on in jersey knit fabrics *McKinney, Broome* 155
partially-oriented: an extractor for *Schick* 309
PET: properties and structures of in conventional and simultaneous draw-texturing *Tucker, Johnson, Dobb, Sikorski* . . 29
two-filament: flexure of elastic yarns *Huang* 73
Yarns, Open-End
belts in: influence of rotor diameter and statistical distribution *Barella, Tura, Vigo* 389
Yarns, Textile
thermal stress analysis of: technique discussed *Buchanan, Hardegree* 732
Yarns, Thermoplastic
mechanics of texturing: Part V: steady-state mechanics of draw texturing *Brookstein, Backer* 256
Yarn Strength
related to fiber rupture: new method of estimating contribution of rupture to strength, and application *Singh, Sengupta* 186
Yarn Tenacity
cotton: relationship of fiber properties to *Ramey, Lawson, Worley* 685
Yarn Uniformity in Thickness
Uster Evenness Transducer: dynamic response characteristics of *Williams, Lyons* 9

Zinc Salts
of acrylic-type polymers: exploration of as hydrophilic finishes for durable-press cotton fabrics *Rowland, Wade, Cirino* 692